



# Safety Data Sheet

## GREASE ULTRA TACK EP-2

### 1. Identification

<b>Product identifier</b>	Grease ULTRA TACK 102 EP-2
<b>Product code</b>	3205-102-2
<b>Other means of identification</b>	
<b>Recommended use of the chemical and restrictions on use</b>	Industrial quality grease for high temperature.
<b>Manufacturer</b>	PRODUITS ADD-LUB 1013 DES TILLEULS MARIEVILLE, Québec Canada J3M 1S4 Tél. (450) 460-0568 Télec.(450) 708-0636 courriel addlub@hotmail.com <a href="http://add-lub.com">http://add-lub.com</a>
<b>Emergency phone number</b>	Canutec: 613-996-6666 Quebec Antipoison Center: 1-800-463-5060

### 2. Hazard identification

<b>Summary</b>	Avoid contact with skin, eyes and clothing. Avoid prolonged or repeated inhalation of mist or vapor. Do not ingest. If medical advice is needed, have this SDS or label at hand. Wear eye protection, gloves and other protective clothing that are adapted to the task being performed and the risks involved.
----------------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

#### WHMIS 2015/GHS/OSHA HCS 2012



Skin irritation (Category 2)  
Eye irritation (Category 2)  
Skin sensitizer (Category 1)

#### WARNING

H319: Causes serious eye irritation

H315: Causes skin irritation

H317: May cause an allergic skin reaction

P101: If medical advice is needed, have product container or label at hand.

P102: Keep out of reach of children.

P103: Read label before use.

P261: Avoid breathing mist, vapours and spray.

P264: Wash skin thoroughly after handling.

P272: Contaminated work clothing should not be allowed out of the workplace.

P280: Wear protective gloves, protective clothing and eye protection.

P302+352: IF ON SKIN: Wash with plenty of water and soap.

P333+313: If skin irritation or a rash occurs: Get medical advice or attention.

P305+351+338: IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.

P337+313: If eye irritation persists: Get medical advice or attention.

P362+364: Take off contaminated clothing and wash before reuse.  
P501: Dispose of contents and container to an approved waste disposal plant.

### 3. Composition/information on ingredients

Common name	CAS	Weight % content
Calcium dodecylbenzenesulfonate	26264-06-2	1 - 5 %
Sulfonic acids, petroleum, calcium salts	61789-86-4	1 - 5 %
Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts	70024-69-0	1 - 5 %

**Note:** The manufacturer withholds the actual concentration range of the ingredients as a trade secret.

### 4. First-aid measures

<b>Inhalation</b>	Move person to fresh air. If not breathing, give artificial respiration. If a problem develops or persists, seek medical attention.
<b>Skin contact</b>	Wash skin with warm water and mild soap. Remove contaminated clothing and wash before reuse. If a problem develops or persists, seek medical attention.
<b>Eye contact</b>	Flush with water for at least 15 minutes. Remove contact lenses if easy to do. Hold eyelids apart to rinse properly. If a problem develops or persists, seek medical attention.
<b>Ingestion</b>	DO NOT INDUCE VOMITING! If victim is conscious wash out mouth with plenty of water. Never give anything by mouth if victim is unconscious or convulsing. If spontaneous vomiting occurs, keep head below hip level to prevent aspiration into the lungs. Seek medical attention or contact a Poison Centre immediately.
<b>Other</b>	No information available.
<b>Symptoms</b>	May cause irritation to skin and eyes. May cause an allergic reaction of the skin.
<b>Notes to the physician</b>	No information available.

### 5. Fire-fighting measures

<b>Suitable extinguishing media</b>	Dry chemicals, water spray, chemical foam, carbon dioxide (CO <sub>2</sub> ). Do not use a heavy water jet.
<b>Specific hazards arising from the chemical</b>	Non-flammable. May be combustible at high temperature.
<b>Special protective equipment</b>	Firefighters must wear self contained breathing apparatus with full face mask. Firefighting suit may not be efficient against chemicals.
<b>Special protective actions for fire-fighters</b>	Cool containing vessels with water jet in order to prevent pressure build-up, autoignition or explosions. Prevent run-off from fire control or dilution from entering streams, sewers or drinking water supply.

## 6. Accidental release measures

<b>Personal precautions, protective equipment and emergency procedures</b>	Do not touch spilled material. Make sure to wear personal protective equipment mentioned in this Safety Data Sheet.
<b>Environmental precautions</b>	Prevent entry into sewers, closed areas and release to the environment. For a large spill, consult the Department of Environment or the relevant authorities.
<b>Methods and materials for containment and cleaning up</b>	Ventilate the area well. Absorb with inert material (soil, sand, vermiculite) or wipe up or scrape up and place in an appropriate waste disposal container clearly identified. Dispose via a licensed waste disposal contractor.

## 7. Handling and storage

<b>Precautions for safe handling</b>	Use in well ventilated area. Avoid contact with skin, eyes and clothing. Avoid prolonged or repeated breathing of vapours or mists. Make sure to wear personal protective equipment mentioned in this Safety Data Sheet. Avoid contamination with another chemical product. Keep containers tightly closed when not in use. Do not eat, do not drink and do not smoke during use. After use, wash hands with soap and water. Wash contaminated clothing before reuse.
<b>Conditions for safe storage, including any incompatibilities</b>	Store tightly close and in properly labelled container. Store away from incompatible materials (see section 10). Keep away from direct sunlight and heat.
<b>Storage temperature</b>	5 to 45°C (41 to 113°F)

## 8. Exposure controls/personal protection

<b>Immediately Dangerous to Life or Health</b>	No IDLH value is reported.			
Mixture	TWA (8h)	Mist	5 mg/m <sup>3</sup>	ACGIH , RSST
<b>Appropriate engineering controls</b>	Provide sufficient mechanical ventilation (general and/or local exhaust) to keep the airborne concentrations of vapours, mists, aerosols or dust below their respective occupational exposure limits.			
<b>Individual protection measures</b>				
<b>Eye</b>	Wear safety glasses. If there is a risk of contact with eyes, wear chemical splash goggles.			
<b>Hands</b>	If risk of contact with the liquid, use gloves nitrile or neoprene. Disposable nitrile gloves can also be used, but discard after single use. When handling hot material, use heat resistant gloves. Before using, user should confirm impermeability. Discard gloves with tears, pinholes, or signs of wear. Gloves must only be worn on clean hands. After using gloves, hands should be washed and dried thoroughly.			
<b>Skin</b>	Personal protective equipment for the body should be selected based on the task being performed and the risks involved. Wear normal work clothing covering arms and legs as required by employer code.			
<b>Respiratory</b>	A respirator is not required in a well-ventilated area. Where the conditions in the workplace require a respirator, it is necessary to follow a respiratory protection program. Moreover, respiratory protection equipment (RPE) must be selected, fitted, maintained and inspected in accordance with regulations and standard 29 CFR 1910.134 (OSHA), ANSI Z88.2 or CSA Z 94.11 (Canada) and approved by NIOSH/MSHA. In case of insufficient ventilation or in confined or enclosed space and for an assigned protection factor (APF) up to 10 times the exposure limit, wear a half mask respirator with organic			

vapour cartridges fitted with P100 filters. For an APF until maximum 100 times of exposure limit, wear a full face respirator mask with organic vapour cartridges and P100 filters.

**Feet**

Wear rubber boots to clean up a spill.



## 9. Physical and chemical properties

<b>Physical state</b>	Semi-solid (Grease)	<b>Flammability</b>	Non-flammable
<b>Colour</b>	Brown	<b>Flammability limits</b>	N/Av.
<b>Odour</b>	Slight hydrocarbon odour	<b>Flash point</b>	>180 °C (356 °F) Open cup
<b>Odour threshold</b>	N/Av.	<b>Auto-ignition temperature</b>	N/Av.
<b>pH</b>	N/Av.	<b>Sensibility to electrostatic charges</b>	N/Av.
<b>Melting point</b>	N/Av.	<b>Sensibility to sparks and/or friction</b>	N/Av.
<b>Freezing point</b>	N/Av.	<b>Vapour density</b>	0.95 to 1.05 (Air = 1)
<b>Boiling point</b>	N/Av.	<b>Relative density</b>	N/Av. (Water = 1)
<b>Solubility</b>	Insoluble in water	<b>Partition coefficient n-octanol/water</b>	N/Av.
<b>Evaporation rate</b>	< Butyl Acetate	<b>Decomposition temperature</b>	N/Av.
<b>Vapour pressure</b>	<0.008kPa (0.1 mm Hg) @ 20 °C (68 °F)	<b>Viscosity</b>	>22 cSt @ 40 °C (104 °F)
<b>Percent Wt. Volatile</b>	N/Av.	<b>Molecular mass</b>	N/Av.
<b>VOC (g/L)</b>	N/Av.	<b>% Volume Volatile (VOC)</b>	N/Av.
<b>VOC (lb/gal)</b>	N/Av.	<b>% Wt. Volatile (VOC)</b>	N/Av.
N/Av.: Not Available    N/Av.: Not Applicable    Und.: Undetermined    N/E: Not Established			

## 10. Stability and reactivity

<b>Reactivity</b>	No known dangerous reactions.
<b>Chemical stability</b>	Stable under recommended storage conditions.
<b>Possibility of hazardous reactions (including polymerizations)</b>	Hazardous polymerization will not occur.
<b>Conditions to avoid</b>	Avoid contact with incompatible materials.
<b>Incompatible materials</b>	Strong oxidizing agents (e.g. chlorine, fluorine, nitric acid, perchloric acid, peroxides, nitrates, chlorates, chromates, permanganates and perchlorates).

<b>Hazardous decomposition products</b>	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
-----------------------------------------	------------------------------------------------------------------------------------------------------

## 11. Toxicological information

<b>Numerical measures of toxicity</b>	<table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 60%;">Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts</td> <td style="width: 20%;">Ingestion</td> <td style="width: 10%;">&gt;5000 mg/kg Rat</td> <td style="width: 10%;">LD50</td> </tr> <tr> <td></td> <td>Skin</td> <td>&gt;2000 mg/kg Rabbit</td> <td>LD50</td> </tr> <tr> <td>Sulfonic acids, petroleum, calcium salts</td> <td>Ingestion</td> <td>&gt;5000 mg/kg Rat</td> <td>LD50</td> </tr> <tr> <td></td> <td>Inhalation</td> <td>&gt;1.9 mg/kg Rat</td> <td>LC50</td> </tr> <tr> <td></td> <td>Skin</td> <td>&gt;5000 mg/kg Rabbit</td> <td>LD50</td> </tr> <tr> <td>Calcium dodecylbenzenesulfonate</td> <td>Ingestion</td> <td>1300 mg/kg Rat</td> <td>LD50</td> </tr> <tr> <td></td> <td>Skin</td> <td>&gt;2000 mg/kg Rabbit</td> <td>LD50</td> </tr> </table>	Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts	Ingestion	>5000 mg/kg Rat	LD50		Skin	>2000 mg/kg Rabbit	LD50	Sulfonic acids, petroleum, calcium salts	Ingestion	>5000 mg/kg Rat	LD50		Inhalation	>1.9 mg/kg Rat	LC50		Skin	>5000 mg/kg Rabbit	LD50	Calcium dodecylbenzenesulfonate	Ingestion	1300 mg/kg Rat	LD50		Skin	>2000 mg/kg Rabbit	LD50
Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts	Ingestion	>5000 mg/kg Rat	LD50																										
	Skin	>2000 mg/kg Rabbit	LD50																										
Sulfonic acids, petroleum, calcium salts	Ingestion	>5000 mg/kg Rat	LD50																										
	Inhalation	>1.9 mg/kg Rat	LC50																										
	Skin	>5000 mg/kg Rabbit	LD50																										
Calcium dodecylbenzenesulfonate	Ingestion	1300 mg/kg Rat	LD50																										
	Skin	>2000 mg/kg Rabbit	LD50																										
<b>Likely routes of exposure</b>	Skin, eyes, inhalation, ingestion.																												
<b>Delayed, immediate and chronic effects</b>	<p><b>Eye contact</b> May cause redness and irritation to eyes. Eye Irritation, Rabbit: Calcium dodecylbenzenesulfonate (CAS no 26264-06-2) is severely irritating (OEDC 405). Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts (CAS no 70024-69-0) is irritating. Sulfonic acids, petroleum, calcium salts (CAS no 61789-86-4) are irritating.</p> <p><b>Skin contact</b> May cause dry skin and irritation. Skin Irritation, Rabbit : Calcium dodecylbenzenesulfonate (CAS no 26264-06-2) is moderately irritating. Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts (CAS no 70024-69-0) is irritating. Sulfonic acids, petroleum, calcium salts (CAS no 61789-86-4) are irritating.</p> <p><b>Inhalation</b> No adverse effects expected under normal conditions of use. Inhalation of vapors formed at high temperatures can cause nose, throat and respiratory tract irritation.</p> <p><b>Ingestion</b> May cause diarrhea.</p> <p><b>Respiratory or skin sensitization</b> Sulfonic acids, petroleum, calcium salts (CAS no 61789-86-4) have shown equivocal results in human skin sensitization patch test studies. This product is not a respiratory sensitizer.</p> <p><b>IARC/NTP Classification</b> No ingredients listed.</p> <p><b>Carcinogenicity</b> Ingredients present at levels greater than or equal to 0.1% of this product are not listed as a carcinogen by IARC, ACGIH, NIOSH, NTP or OSHA.</p> <p><b>Mutagenicity</b> This material is not known to cause mutagenic effect.</p> <p><b>Reproductive toxicity</b> This material is not known to cause effects on reproduction.</p> <p><b>Specific target organ toxicity - single exposure</b> No target organ is listed.</p> <p><b>Specific target organ toxicity - repeated exposure</b> No target organ is listed.</p>																												
<b>Interactive effects</b>	No information available.																												
<b>Other information</b>	The oral and skin acute toxicity estimates (ATE) of the mixture were calculated to be greater than 2000 mg/kg. The acute toxicity estimates (ATE) by inhalation of the mixture were calculated to be greater than 20 mg/L/4h for vapours and to be greater than 5 mg/L/4h for the aerosols and mists. These values are not classified according to WHMIS 2015 and OSHA HCS 2012.																												

## 12. Ecological information

<b>Ecological toxicity</b>	Fish - Oncorhynchus mykiss - Rainbow trout	LC50 >100 mg/L; 96 h (CAS no 61789-86-4)
	Aquatic Invertebrate - Crustaceans, Daphnia Magna	EC50 >100 mg/L; 48 h (CAS no 61789-86-4)
	Fish, various	LC50 >100 mg/L; 96 h (CAS no 70024-69-0)
	Fish, various	LC50 20 mg/L; 96 h (CAS no 26264-06-2)
	Aquatic Invertebrate - Daphnia magna	EC50 2.2 mg/L; 48 h (CAS no 26264-06-2)
<b>Persistence</b>	The product is a mixture of heavy hydrocarbon in which some ingredients will be persistent in the environment.	
<b>Degradability</b>	The ingredients of calcium alkyl sulphonates salts are not readily biodegradable (<10% in 28 days). Calcium dodecylbenzenesulfonate (CAS no 26264-06-2) should be biodegradable (>70% in 28 days).	
<b>Bioaccumulative potential</b>	The potential of calcium alkyl sulfonates salts to bioaccumulate is low. Log Kow >6 and Potential for bioconcentration (BCF) of 71 (estimated) for Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts (CAS no 70024-69-0). Potential for bioconcentration (BCF) of 71 (estimated) for Sulfonic acids, petroleum, calcium salts (CAS no 61789-86-4). Log Kow of 6.7 (estimated) for Calcium dodecylbenzenesulfonate (CAS no 26264-06-2).	
<b>Mobility in soil</b>	This product is stable in water, and can be mechanically separated from water. The product is a hydrocarbon mixture of which some ingredients can evaporate into the air while others present a medium to low mobility in soil.	
<b>Other adverse effects</b>	This chemical does not deplete the ozone layer.	

## 13. Disposal considerations

<b>Container</b> 	Important! Prevent waste generation. Use in full. DO NOT dispose residue in sewers, streams or drinking water supply. Non-use oils or waste oils can be reprocessed (recycle) where there is a recovery program. Dispose via a licensed waste disposal contractor. Observe all federal, state/provincial and municipal regulations. If necessary consult the Department of Environment or the relevant authorities.
--------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

## 14. Transport information

<b>UN Number</b>	UN N/A
<b>UN Proper Shipping Name</b>	Not regulated by TDG (Canada) and 49 CFR DOT (USA).
<b>Environmental hazards</b>	This material does not contain marine pollutant.
<b>Special precautions for user</b>	No information available for this product.
<b>TDG - Transportation of Dangerous Goods (Canada &amp; US DOT)</b>	
<b>Transport hazard class(es)</b>	Not regulated
<b>Packing group</b>	Not regulated
<b>2020 Emergency Response Guidebook</b>	
<b>IMO/IMDG - International Maritime Transport</b>	
<b>Classification</b>	Not regulated

**IATA - International Air Transport Association**

**Classification** Not regulated

These transportation classifications are provided as a customer service. As the shipper YOU remain responsible for complying with all applicable laws and regulations, including proper transportation classification and packaging. In addition, if a domestic exemption exists, it is the responsibility of the shipper to define the application of it.

**15. Regulatory information**

**CANADA**

Common name	CAS	CEPA	DSL	NDSL	NPRI
Calcium dodecylbenzenesulfonate	26264-06-2		X		
Sulfonic acids, petroleum, calcium salts	61789-86-4		X		
Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts	70024-69-0		X		

- CEPA: List of Toxic Substances Managed Under Canadian Environmental Protection Act
- DSL: Domestic Substances List Inventory
- NDSL: Non-Domestic Substances List Inventory
- NPRI: National Pollutant Release Inventory Substances

**UNITED STATE OF AMERICA**

Common name	CAS	TSCA	CER CLA	EPCRA 313	EPCRA 302/304	CAA 112(b) HON	CAA 112(b) HAP	CAA 112(r)	CWA 311	CWA Prio.
Calcium dodecylbenzenesulfonate	26264-06-2	X	X						X	
Sulfonic acids, petroleum, calcium salts	61789-86-4	X								
Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts	70024-69-0	X								

- TSCA: Toxic Substance Control Act
- CERCLA: Comprehensive Environmental Response, Compensation, and Liability Act list of hazardous substances
- EPCRA 313: Emergency Planning and Community Right-to-Know Act, Section 313 Toxic Chemicals
- EPCRA 302/304: Emergency Planning and Community Right-to-Know Act, Section 302/304 Extremely Hazardous Substances
- CAA 112(b) HON: Clean Air Act - Hazardous Organic National Emission Standard for Hazardous Air Pollutant
- CAA 112(b) HAP: Clean Air Act - Hazardous Air Pollutants lists pollutants
- CAA 112(r): Clean Air Act - Regulated Chemicals for Accidental Release Prevention
- CWA 311: Clean Water Act - List of Hazardous Substances
- CWA Priority: Clean Water Act - Priority Pollutant list

**California Proposition 65**

No ingredients listed.

**Other regulations**

**HMIS**

1	1	0
Health	Flamability	Reactivity
(B) Protective Equipment		

**NFPA**



## 16. Other information

<b>Date (YYYY-MM-DD)</b>	PRODUITS ADDLUB LTEE. 2019-04-25
<b>Version</b>	02
<b>Other information</b>	<p>REFERENCES:</p> <ul style="list-style-type: none"><li>- Haz-Map, Information on Hazardous Chemicals and Occupational Diseases, <a href="https://haz-map.com/">https://haz-map.com/</a></li><li>- Service du répertoire toxicologique de la Commission des normes, de l'équité, de la santé et de la sécurité du travail (CNESST), <a href="https://www.cnesst.gouv.qc.ca/fr">https://www.cnesst.gouv.qc.ca/fr</a></li><li>- TOXNET Databases, Toxicology Data Network, NIH U.S. National Library of Medicine, <a href="http://toxnet.nlm.nih.gov/">http://toxnet.nlm.nih.gov/</a></li><li>- High Production Volume (HPV) Chemical Challenge Program, U.S. EPA, <a href="http://www.epa.gov/hpv/">http://www.epa.gov/hpv/</a></li></ul> <p>DATE OF FIRST VERSION OF SDS: 2015-07-02.</p> <p>CHANGES MADE IN THE VERSION 02: sections 2, 3, 11 and 15.</p> <p>ACGIH: American Conference of Governmental Industrial Hygienists AIHA: American Industrial Hygiene Association HMIS: Hazardous Materials Identification System NFPA: National Fire Protection Association OSHA: Occupational Safety and Health Administration (USA) NIOSH: National Institute for Occupational Safety and Health NTP: National Toxicology Program RSST: Règlement sur la santé et la sécurité du travail (Québec) GHS: Globally Harmonized System IARC: International Agency for Research on Cancer IDLH: Immediately Dangerous to Life or Health STEL: Short Term Exposure Limit (15 min) TWA: Time Weighted Averages WHMIS: Workplace Hazardous Materials Information System</p> <p>To the best of our knowledge, the information contained herein is accurate. However, neither Add Lub, nor the above named supplier, nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.</p>